

Category 5

5.5 Expended Tag Register



This allows for equipment such as Motors, Pump Sets and Instrumentation Devices to have like objects identified and then these like objects to be then given a unique number. This allows for accurate and rapid changes to be made therefore allowing for more accurate pricing achieved.

Combined No	Tag Code	Abr No	Abviation Description	Manufacturer	Catalogue Number	Last No Used	Quantity	
PITC-001	PITC	1	Concrete Cable Pit 3.0x9x1 M		Icon Industries Pty Ltd 07 380674	15	15	
Combined No	Tag Code	Tag No Type	Abviation Description	Manufacturer	Catalogue Number	Last No Used	Quantity	Se
ACB-000	ACB	0	Magnetic Bearing Control Panel			0	0	
AIT-31102	AIT	31102	Bioreactor 1 High Intensity Zone			0	0	
BAT-001	BAT	1	Battery Charger - HV Sw Board			3	2	
BFP-001	BFP	1	Belt Filter Press No 1			2	2	
BFP-002	BFP	2	Belt Filter Press No 2			2	2	
BLD-013	BLD	13	Final Settling Tank No 3			1	1	
BLD-012	BLD	12	Flow Splitter			1	1	
BLD-011	BLD	11	WAS/RAS Pump Station No 1			1	1	
BLD-010	BLD	10	Bioreactor No 1			1	1	
BLD-001	BLD	1	Building - Blower - Sludge			1	1	
BLD-002	BLD	2	Pump Station No1			2	1	
BLD-003	BLD	3	Building - Chemical & OCU			1	1	
BLD-004	BLD	4	Building - High Voltage Switch Room			1	1	
BLD-005	BLD	5	Building - Substation No1			2	1	
BLD-006	BLD	6	Building - Control Room			1	1	
BLD-007	BLD	7	Building - Final Area			1	1	
BLD-008	BLD	8	Building - Bioreactor No 2 Switch Room			1	1	
BLD-009	BLD	9	Substaion 008			1	1	
BLD-014	BLD	14	WAS Pump Station No 3			1	1	
BLD-015	BLD	15	Bioreactor No 2			1	1	
BLD-016	BLD	16	WAS/RAS Pump Station No 2			1	1	
BLD-017	BLD	17	Pump Station No 2			1	1	
COMS-005	COMS	5	Communications Rack - Control Room			1	1	
COMS-004	COMS	4	Communications Rack - Blower MCC Room			1	1	
COMS-002	COMS	2	Communications Rack - Pump Station No 2			1	1	
COMS-008	COMS	8	Communications Rack - Pump Station No1			1	1	
COMS-003	COMS	3	Communications Rack - Service Water Sw Room			1	1	
COMS-007	COMS	7	Communications Rack - Bioreactor No2			1	1	
COMS-010	COMS	10	Communications Rack - Existing Ctrl Room			1	1	
COMS-001	COMS	1	Communications Rack - HV Sw Room			2	2	
COMS-006	COMS	6	Communications Rack - Chemical Building			1	1	
CTRLP-010	CTRLP	10	Panel - GDD			1	1	
CTRLP-002	CTRLP	2	Scum Harvester No2 Control Panel			1	1	
CTRLP-001	CTRLP	1	Scum Harvester No1 Control Panel			1	1	
DB-003	DB	3	Distribution Board Bioreactor No.1 (24V DB2)			0	0	
DB-002	DB	2	Distribution Board Sludge (MCC-002-01)			1	1	
DB-004	DB	4	Blower Building Light and Power			0	0	